

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"51120737".pn.	JPO	OR	ON	2005/07/20 14:39
L2	2	"6624943".pn.	USPAT; DERWENT	OR	ON	2005/07/20 14:58
L3	107143	"382"/("312", "318", "321", "322").ccls.	USPAT; DERWENT	OR	ON	2005/07/20 15:25
L4	2446	3 and (optical near scan\$6)	USPAT; DERWENT	OR	ON	2005/07/20 15:25
L5	0	4 and (diffracting near surface)	USPAT; DERWENT	OR	ON	2005/07/20 15:26
L6	11	4 and (diffract\$4 near surface)	USPAT; DERWENT	OR	ON	2005/07/20 15:26
L7	1	6 and (refract\$4 near surface)	USPAT; DERWENT	OR	ON	2005/07/20 15:28
L8	7700	(optical near scan\$6)	US-PGPUB	OR	ON	2005/07/20 15:28
L9	1779	8 and deflect\$4	US-PGPUB	OR	ON	2005/07/20 15:28
L10	1625	9 and beam	US-PGPUB	OR	ON	2005/07/20 15:29
L11	73	10 and (diffract\$6 near surface)	US-PGPUB	OR	ON	2005/07/20 15:29
L12	37	11 and (diffract\$4 near light)	US-PGPUB	OR	ON	2005/07/20 15:29
L13	20	12 and (refract\$4 near surface)	US-PGPUB	OR	ON	2005/07/20 15:30
L14	17	13 and (sub adj scan\$4)	US-PGPUB	OR	ON	2005/07/20 15:30
L15	17	14 and (main adj scan\$4)	US-PGPUB	OR	ON	2005/07/20 15:30
L16	0	15 and (width near expanse)	US-PGPUB	OR	ON	2005/07/20 15:31
L17	1	15 and (expanse)	US-PGPUB	OR	ON	2005/07/20 15:32
L18	729	diffract\$4 near surface	EPO; JPO	OR	ON	2005/07/20 15:33
L19	152	18 and (diffract\$4 near light)	EPO; JPO	OR	ON	2005/07/20 15:33
L20	5	19 and (refract\$4 near surface)	EPO; JPO	OR	ON	2005/07/20 15:33
L21	0	20 and (refract\$4 near light)	EPO; JPO	OR	ON	2005/07/20 15:33
L22	0	20 and (sub adj scan\$4)	EPO; JPO	OR	ON	2005/07/20 15:34
L23	1	20 and (main adj scan\$4)	EPO; JPO	OR	ON	2005/07/20 15:34

	U	1	Document ID	Issue Date	Pages
1			US 4848879 A	19890718	105

	Title	Current OR	Current XRef
1	Light modulating device	359/289	359/276; 359/277

	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1		Nishimura; Yukuo et al.	X						

	Image Doc. Displayed	PT
1	US 4848879	